

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Canceled)
2. (Previously Presented) The method of claim 8, wherein acquiring comprises performing a diagnostic examination in association with an image acquisition device.
3. (Previously Presented) The method of claim 8, wherein acquiring comprises retrieving a data file from a data storage device.
4. (Previously Presented) The method of claim 8, wherein identifying comprises selecting at least one patient identifier to be removed from the at least one diagnostic image.
5. (Previously Presented) The method of claim 8, wherein modifying comprises obscuring an area of the at least one diagnostic image.
6. (Canceled)
7. (Canceled)
8. (Previously Presented) A method for selectively removing data from one or more images in a computer based system, comprising:
 - acquiring at least one diagnostic image;
 - identifying patient information that is to be excluded from the at least one diagnostic image;
 - modifying the at least one diagnostic image responsive to the step of identifying, wherein identified patient information is excluded from the at least one diagnostic image by applying at least one mask to at least one patient identifier of the identified patient

information in one of the diagnostic image and a plurality of frames comprising an image loop; and

exporting the at least one modified diagnostic image over a data network.

9. (Previously Presented) A method for selectively removing data from one or more images in a computer based system, comprising:

acquiring at least one diagnostic image;

identifying patient information that is to be excluded from the at least one diagnostic image;

modifying the at least one diagnostic image responsive to the step of identifying, wherein identified patient information is excluded from the at least one diagnostic image by superimposing a plurality of masks over a respective instance of at least one patient identifier of the identified patient information in a multiple image display format; and

exporting the at least one modified diagnostic image over a data network.

10. (Canceled)

11. (Previously Presented) The system of claim 17, further comprising:
means for communicating the at least one diagnostic image to at least one device on a network

12. (Previously Presented) The system of claim 17, wherein the retrieving means comprises a computer based diagnostic image acquisition system.

13. (Previously Presented) The system of claim 17, wherein the retrieving means comprises a computing device in association with a network.

14. (Previously Presented) The system of claim 17, wherein the identifying means comprises an image enhancer.

15. (Canceled)

16. (Canceled)

17. (Previously Presented) A computer based diagnostic image enhancement system, comprising:

means for retrieving a digital representation of at least one diagnostic image;

means for identifying at least one patient identifier reflective of the subject of an underlying diagnostic study that is not intended for association with the at least one diagnostic image; and

means for selectively obscuring the at least one patient identifier responsive to the identifying means by applying at least one mask to the at least one patient identifier in one of the diagnostic image and a plurality of frames comprising an image loop.

18. (Previously Presented) A computer based diagnostic image enhancement system, comprising:

means for retrieving a digital representation of at least one diagnostic image;

means for identifying at least one patient identifier reflective of the subject of an underlying diagnostic study that is not intended for association with the at least one diagnostic image; and

means for selectively obscuring the at least one patient identifier responsive to the identifying means by superimposing a plurality of masks over a respective instance of the at least one patient identifier in a multiple image display format.

19. (Canceled)

20. (Canceled)

21. (Previously Presented) An interactive diagnostic image enhancer, comprising:

an image manager configured to receive a digital representation of a diagnostic image and at least one patient identifier;

a user interface coupled to the image manager, operable to receive a plurality of commands from an operator via at least one input device, configured to identify at least one patient identification parameter that is not desired for association with the diagnostic image, wherein the user interface generates at least one command responsive to the identified patient parameter; and

an image editor coupled to the image manager and the user interface, configured to receive the at least one command, wherein the image editor obscures the at least one patient parameter by applying at least one mask to the at least one patient identifier in one of the diagnostic image and a plurality of frames comprising an image loop.

22. (Previously Presented) An interactive diagnostic image enhancer, comprising:

an image manager configured to receive a digital representation of a diagnostic image and at least one patient identifier;

a user interface coupled to the image manager, operable to receive a plurality of commands from an operator via at least one input device, configured to identify at least one patient identification parameter that is not desired for association with the diagnostic image, wherein the user interface generates at least one command responsive to the identified patient parameter; and

an image editor coupled to the image manager and the user interface, configured to receive the at least one command, wherein the image editor obscures the at least one patient parameter by superimposing a plurality of masks over a respective instance of the at least one patient identifier in a multiple image display format.

23. (Previously Presented) A computer readable medium having a computer program, comprising:

a first logic for identifying at least one patient identifier related to a patient that is the subject of a medical diagnostic exam;

a second logic for obtaining an input reflective of an operator's desire whether to associate the at least one patient identifier with at least one image acquired during the medical diagnostic exam; and

a third logic for generating the at least one image with the at least one patient identifier obscured in response to the second logic by applying at least one mask to the at least one patient identifier in a plurality of frames comprising an image loop.

24. (Canceled)

If the Examiner should have any questions concerning this communication or feels that an interview would be helpful, the Examiner is requested to call John Vodopia, Esq., Intellectual Property Counsel, Philips Electronics North America, at 914-333-9627.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read 'George Likourezos', written over a horizontal line.

George Likourezos

Reg. No. 40,067

Attorney for Applicants

Mailing Address:
Intellectual Property Counsel
Philips Electronics North America Corp.
P.O. Box 3001
345 Scarborough Road
Briarcliff Manor, New York 10510-8001